

書背




2017

$$E_k = \frac{1}{2}MV^2$$




www.ek-archery.com



SILENT SYSTEM

Ek's unique patent which allows our crossbows to be one of most quiet products on the market.

Patent US #9,121,659



TRIGGER SAFETY SYSTEM


Third generation Anti-Dry Fire increases protection for both user and crossbow.

Patent US #7588022B2




HIGH-GRADE TRIGGER ASSEMBLY

A lighter trigger pull characterized by a smoother travel and a crisper break.




P-CORE™

The unique geometry of these cams maximizes the release of high energy.



LIMBS

Our durable Compression Fiberglass limbs have stood the test of time and are generally acknowledged to be one of the strongest on the market.



SILENT SETS

An upgraded design that more effectively absorbs the string vibration and limb noise.

INTRODUCTION

- 01 About Ek
- 02 Design & Technics

CROSSBOW

- 06 Accelerator 410⁺
- 08 Accelerator 390⁺
- 09 Accelerator 370⁺
- 10 Blade⁺
- 11 Jag 2 Pro
- 12 Guillotine-X
- 13 Guillotine-M⁺
- 14 Titan
- 15 Jag 1
- 15 Desert Hawk
- 16 Cobra Pistol
- 17 Torpedo

BOW

- 18 Axis
- 20 Exterminator
- 21 Rex
- 22 Protex
- 22 Take Down
- 23 Robinhood

YOUTHBOW

- 24 Crusader
- 25 Chameleon
- 26 Buster
- 27 Korrigan
- 27 Kirupira
- 28 Beetle
- 28 Firestar

OTHER

- 29 Tactical Accessories
- 30 Accessories
- 31 EK Apparel / Bow Bag
- 32 Arrows

The realization of potential

Archers shoot for that exact instant the arrow released, impacts into the target. The Undeniable Moment of an Archer's actions and choices. This is the energy transfer event, the power of the bow, its kinetic energy output, defined by the mass and the speed of the arrow.



TRADITION GUIDES, QUALITY LEADS



Old hands with new bones is our way of looking at the iterative synchronization of engineering data with manufacturing realities. Is the design of a bow the defining factor of its performance? Strangely enough, it isn't. It's how the limbs, the riser, the cams, the strings, the components are built. Over three decades we have observed the product failures of the famous archery brands as they insist on price as the bottom line. This attitude towards mass production leads to a decrease in the quality of archery products. Ek Archery Research resists this trend through a iterative manufacturing process that involves our fabrication teams through several stages of design, in order to correct problems as they appear. As prototypes emerge from the design process, these are subjected to the input of end-users. Trends amongst users are analyzed, and products redesigned. Great bows come into being and are assembled through the Acumen of our Workshop Masters.



4

Design & Techniques

*Strength
follows the grain.*



5

Design & Techniques

Energy changes shape.



*True flight
builds consistency.*



*From the string
to the heart.*




Finishing and detail



*From our
Craftmans' hands
to yours*






ACCELERATOR 410⁺

6

Crossbow


Incorporating the speed cams of our Guillotine X, the Accelerator 410 is the hotrod in Ek's line of tactical crossbows. The 410 is designed for the enthusiast that wants the power and the velocity necessary to reach out to targets further away or in challenging environments. Serious knock down power!



SPECIFICATIONS



SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
400 FPS / 380 Gn	185 LBS	14.5"	13" COCKED 17.5" UNCOCKED	8.1 LBS	35.5"-38"



- A | **STOCK**
Reinforced composite Stock, Adjustable Stock,
- B | **AR GRIP**
Ergonomically textured soft grip with finger grooves for increased control under any conditions
- C | **TRIGGER**
Anti-dry fire safety, Trigger pull below 3.5 lbs
- D | **EXTENDED BULLPUP TRIGGER**
Compacting the crossbow's design by shifting the grip forward to achieve a more ergonomic and operational balance.
- E | **BARREL**
Aluminum / composite barrel w/ picatinny rail
- F | **STRING STOPPER**
Decelerates string and deadens vibration
- G | **CAM SETS**
CNC machined cams
- H | **RISER**
Aluminum/ CNC machined
- I | **LIMBS**
Durable compression fiberglass, Quad-limb design

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / Shoulder Sling / Foldable AR Fore Grip / 6-Bolt Quiver-Black / 3 20" Carbon Bolts / String Wax

ACCELERATOR 390+

The most stable platform in the Accelerator Series, the 390 is the compromise between a manageable draw weight and the power to push heavier bolts downrange. Featuring an adjustable tactical stock and foldable AR fore grip, this workhorse is everything you expect in a 4th generation crossbow in both comfort and power.

8

Crossbow

Accelerator 390+



- A | **STOCK**
Reinforced composite Stock, Adjustable Stock.
- B | **AR GRIP**
Ergonomically textured soft grip with finger grooves for increased control under any conditions
- C | **TRIGGER**
Anti-dry fire safety. Trigger pull below 3.5 lbs
- D | **EXTENDED BULLPUP TRIGGER**
Compacting the crossbow's design by shifting the grip forward to achieve a more ergonomic and operational balance.
- E | **BARREL**
Aluminum / composite barrel w/ picatinny rail
- F | **STRING STOPPER**
Decelerates string and deadens vibration
- G | **CAM SETS**
CNC machined cams
- H | **RISER**
Aluminum/ CNC machined
- I | **LIMBS**
Durable compression fiberglass, Quad-limb design

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
390 FPS / 380 Gn	185 LBS	13.75"	14" COCKED 18" UNCOCKED	7.7 LBS	35.5"-38"

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / Shoulder Sling / Foldable AR Fore Grip / 3-Bolt Quiver / 3 20" Carbon Bolts / String Wax

ACCELERATOR 370+

For the shooter that prefers a lighter weight shooting platform but demands the kinetic energy afforded by +350fps speeds, Ek offers the 370 in the popular tactical configuration of the Accelerator Series. Pinpoint accuracy in a well balanced crossbow with all the features that get you shooting out of the box at a reasonable price.

9

Crossbow

Accelerator 370+



- A | **STOCK**
Reinforced composite Stock, Adjustable Stock
- B | **AR GRIP**
Ergonomically textured soft grip with finger grooves for increased control under any conditions
- C | **TRIGGER**
Anti-dry fire safety. Trigger Pull below 3.5 lbs
- D | **EXTENDED BULLPUP TRIGGER**
Compacting the crossbow's design by shifting the grip forward to achieve a more ergonomic and operational balance.
- E | **BARREL**
Aluminum/composite barrel w/picatinny rail
- F | **STRING STOPPER**
Decelerates string and deadens vibration
- G | **CAM SETS**
CNC machined cams
- H | **RISER**
Aluminum Die casting
- I | **LIMBS**
Durable compression fiberglass Quad-limb design

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
370 FPS / 380 Gn	185 LBS	13.75"	14" COCKED 18" UNCOCKED	6.7 LBS	34.5"-37"

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / Shoulder Sling / 3-Bolt Quiver / 3 20" Carbon Bolts / String Wax


BLADE+

Ek's robust entry-level compound crossbow great for both beginners and advanced shooters. An excellent combination of draw weight and speed, this crossbow is a tack-driver, blazing bolts downrange at 340fps. Like the Jag II, the compact and tactically configured Blade is properly balanced and shoulders quite easily.

10

Crossbow

Blade+



- A | **STOCK**
Reinforced composite Stock
Adjustable Stock

B | **AR GRIP**
Forceful textured A2-style
pistol grip

C | **TRIGGER**
Anti-dry fire safety.
Trigger Pull below 3.5 lbs
- D | **EXTENDED BULLPUP TRIGGER**
Compacting the crossbow's design by shifting
the grip forward to achieve a more ergonomic
and operational balance.

E | **BARREL**
Aluminum/composite barrel w/picatinny rail

F | **STRING STOPPER**
Decelerates string and deadens vibration
- G | **CAM SETS**
Die casting cams

H | **RISER**
Aluminum Die casting

I | **LIMBS**
Durable compression fiberglass

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
340 FPS / 380 Gn	175 LBS	12.5"	14" COCKED 17" UNCOCKED	6.7 LBS	33.5"-36"

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / 3-Bolt Quiver / 3 #2219 20" Aluminum Bolts / String Wax

JAG 2 PRO

The evolution of Jag product line into a fast-handling 260fps midrange cross-bow. Lightweight and compact, the perfect entry-level model. Excellent operational balance achieved by designing to ergonomic considerations.

11

Crossbow

Jag2 pro



- A | **STOCK**
Reinforced composite Stock
Adjustable Stock

B | **AR GRIP**
Ergonomically textured soft grip
with finger grooves for increased
control under any conditions

C | **TRIGGER**
Anti-dry fire safety.
- D | **EXTENDED BULLPUP TRIGGER**
Compacting the crossbow's design by shifting
the grip forward to achieve a more ergonomic
and operational balance.

E | **BARREL**
Aluminum/composite barrel w/picatinny rail

F | **STRING STOPPER**
Decelerates string and deadens vibration
- G | **STRING**
Pre-strung front end

H | **LIMBS**
Durable compression fiberglass

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	WIDTH	MASS WEIGHT (BOW ONLY)	LENGTH
260 FPS / 400 Gn	175 LBS	11"	28"	4.9 LBS	30.5"-33"

PACKAGE INCLUDES


3-Dot Red Dot Sight / Cocking Rope / 3-Bolt Quiver / 3 #2219 16" Aluminum Bolts / String Wax

GUILLOTINE-X

The Guillotine X is Ek's flagship model, a technical crossbow for the operator that values stealth and ergonomics. Designed from the ground up with a composite riser and specialized CNC cams to dampen the unwanted vibrations of a modern, high velocity crossbow; the X generates a muted sound signature while consistently delivering blistering downrange speeds.

Crossbow

Guillotine-X



A | STOCK

Reinforced composite stock, soft-molded grooved-finger pistol grip, ergonomic butt-plate and cheek rest for comfort.

B | TRIGGER

Anti-dry fire safety. Trigger pull below 3.5 lbs

C | EXTENDED BULLPUP TRIGGER

Compacting the crossbow's design by shifting the grip forward to achieve a more ergonomic and operational balance.

D | BARREL

Aluminum/composite barrel w/picatinny rail

E | CAM SETS

CNC machined cams

F | LIMBS

Durable compression fiberglass
Quad-limb design

G | RISER

Ultra-light technology composite riser, Silent-tech performance

H | ULTRA-LIGHT TECHNOLOGY

Reduction of component and frame weight to improve handling characteristics and reduce user fatigue.

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
400 FPS / 380 Gn	185LBS	14.5"	13" COCKED 17.5" UNCOCKED	8.6 LBS	37.75"

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / Shoulder Sling / 6-Bolt Quiver / 3 20" Carbon Bolts / String Wax


GUILLOTINE-M⁺

The lighter M model of the Guillotine Series has all of the same stealth characteristics, ergonomics and CNC machined cams of the X with only a slight difference in speed. The Guillotine M's superior balance and handling invites the operator to shoot from dynamic positions and facilitates target acquisition on 3D ranges.

13

Crossbow

Guillotine-M⁺



A | STOCK

Reinforced composite stock, soft-molded grooved-finger pistol grip, ergonomic butt-plate and cheek rest for comfort.

B | TRIGGER

Anti-dry fire safety.
Trigger Pull below 3.5 lbs

C | EXTENDED BULLPUP TRIGGER

Compacting the crossbow's design by shifting the grip forward to achieve a more ergonomic and operational balance.

D | BARREL

Aluminum/composite barrel w/picatinny rail

E | STRING STOPPER

Decelerates string and deadens vibration

F | CAM SETS

CNC machined cams

G | RISER

Aluminum Die casting

H | LIMBS

Durable compression fiberglass
Quad-limb design

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
370 FPS / 380 Gn	185 LBS	13.75"	14" COCKED 18" UNCOCKED	8.0 LBS	35"

PACKAGE INCLUDES

4x32 Crossbow Scope / Cocking Rope / Shoulder Sling / 3-Bolt Quiver / 3 20" Carbon Bolts / String Wax

TITAN

This solid and reliable 3rd Generation design continues to be a favorite of crossbow enthusiasts because of its crafted features, precision CNC machined full rail, high-quality aluminum riser and a reinforced composite stock. With proper care and maintenance this quality crossbow will last a lifetime. More than an object of beauty, this beast will put arrow after arrow in the target at a blazing 385fps.



- A | **LIMBS**
Durable compression fiberglass

B | **RISER**
Aluminum/ CNC machined

C | **CAM SETS**
CNC machined cams

D | **BARREL**
Aluminum/ CNC machined

E | **TRIGGER**
Anti-dry fire safety mechanism

F | **STOCK**
Reinforced composite Stock

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
385 FPS / 380 Gn	200 LBS	14"	19" COCKED 21.75" UNCOCKED	8.6 LBS	38.5"

PACKAGE INCLUDES

4X32 Crossbow Scope / Cocking Rope / Shoulder Sling / 6-Bolt Quiver / 3 20" Carbon Bolts / String Wax

JAG 1



- CR-013B/BLACK (SIMPLE)

CR-013B-175 / BLACK (DELUXE)

CR-013A/SPRING CAMO (DELUXE)

PACKAGE INCLUDES

DELUXE
3-Dot Red Dot Sight / Cocking Rope / Shoulder Sling / 3-Bolt Quiver / 3 #2219 1.6" Aluminum Bolts / String Wax

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	MASS WEIGHT (BOW ONLY)	WIDTH	LENGTH
220 FPS / 350 Gn	175 LBS	10"	5.7 LBS	27"	35"

DESERT HAWK

A piece of serious business is this crossbow. All of the same craftsmanship of the Titan, but in the simple and ultra-reliable recurve configuration, this is pinnacle of the evolution of the crossbow. Imagine the feats of accuracy that William Tell could have achieved with this in his hands!



- A | **LIMBS**
Durable compression fiberglass

B | **RISER**
Aluminum/ CNC machined

C | **BARREL**
Aluminum/ CNC machined

D | **TRIGGER**
Anti-dry fire safety mechanism

E | **STOCK**
Reinforced composite Stock



PACKAGE INCLUDES

4X32 Crossbow Scope / Cocking Rope / Shoulder Sling / 6-Bolt Quiver / 3 20" Carbon Bolts / String Wax

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	MASS WEIGHT (BOW ONLY)	WIDTH	LENGTH
330 FPS / 380 Gn	225 LBS	15.25"	7.4 LBS	35"	39"

COBRA PISTOL ALUMINUM

The world famous Cobra crossbow pistol, often copied but rarely equaled. Not a toy, but a legitimate scaled down crossbow, it is a blast to shoot. Accurate and powerful at short range, it is excellent for target practice at indoor ranges and in confined spaces.



- CR-039BK | BLACK
- CR-039W4 | WOOD CAMO

PACKAGE INCLUDES

Adjustable Peep Sight / 3 #1616 6.5" Aluminum Bolts

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	MASS WEIGHT (BOW ONLY)	WIDTH	LENGTH
175 FPS	80 LBS	6"	1.9 LBS	17.25"	19.5"

COBRA PISTOL PLASTIC



- CR-002BA | BLACK

PACKAGE INCLUDES

Adjustable Peep Sight / 3 6.5" Plastic Bolts

SPECIFICATIONS

SPEED	DRAW WEIGHT	POWER STROKE	MASS WEIGHT (BOW ONLY)	WIDTH	LENGTH
175 FPS	80 LBS	6"	1.3 LBS	17.25"	19.5"

TORPEDO

The best of both worlds, high-end components including a CNC machined aluminum barrel, riser and proprietary cams complementing the ergonomics of a military-grade AR adjustable stock and foregrip. A handsome and lethal crossbow, both old-world and tactical.



- CR-054B | BLACK
- CR-054S | ORIGNAL

- A | STOCK
Specialized collapsible tube stock, reinforced composite material, facilitates a solid cheek weld
- B | TRIGGER
Anti-dry fire safety mechanism
- C | BARREL
Aluminum CNC machined
- D | LIMBS
Durable compression fiberglass
- E | CAM SETS
CNC machined cams
- F | RISER
Aluminum / CNC machined

SPECIFICATIONS


SPEED	DRAW WEIGHT	POWER STROKE	AXLE TO AXLE	MASS WEIGHT (BOW ONLY)	LENGTH
355 FPS / 380 Gn	185 LBS	13"	13.5" COCKED 17" UNCOCKED	7.5 LBS	35-37.75"

PACKAGE INCLUDES

4X32 Crossbow Scope / Cocking Rope / Shoulder Sling / 6-Bolt Quiver / 3 20" Carbon Bolts / String Wax

AXIS

Developed through an iterative design process with input from target archery teams, the Axis is a rock solid target bow. An Intermediate level bow crafted with marksman in mind, the features on this compound bow are usually found on much more expensive professional models. A well balanced CNC machined high-grade aluminum riser and specialized adjustable cams with silky cycling provide the basis for precision shooting.



- A | **LIMBS**
Durable compression fiberglass
- B | **VIBRATION DAMPENER**
Available in various colors for customization
- C | **RISER**
High-grade Aluminum CNC Machined Riser
- D | **CAM SET**
Specialized geometry Adjustable Target Cams, CNC Machined



- CO-039B | BLACK
- CO-039U | BLUE
- CO-039R | RED
- CO-039GR | TITANIUM
- CO-039F | FOLIUM CAMO
- CO-039W | WHITE


SPECIFICATIONS

SPEED 310+ FPS	DRAW WEIGHT 30~70 LBS	DRAW LENGTH 23.25~32"	AXLE TO AXLE 32"	BRACE HEIGHT 8"	LET-OFF 75%	MASS WEIGHT (BOW ONLY) 3.9 LBS
--------------------------	---------------------------------	---------------------------------	----------------------------	---------------------------	-----------------------	--

AXIS

- B | **VIBRATION DAMPENER**
Available in various colors for customization





EXTERMINATOR

The hunting roots of this short axle to axle compound bow show in its design. This bow is the perfect foundation to build a customized 3D shooting rig. User adjustability allows this bow to be configured to a wide range of draw lengths and draw weights. Forgiving and balanced, the Exterminator facilitates improvement by providing the consistency necessary to develop your skill set.

20

Bow

exterminator



CO-035B | BLACK



CO-035F | FOLIUM CAMO

SPECIFICATIONS

SPEED	DRAW WEIGHT	DRAW LENGTH	AXLE TO AXLE	BRACE HEIGHT	LET-OFF	MASS WEIGHT (BOW ONLY)
310 FPS	15-70 LBS	17"-31"	30"	7"	75%	3.6 LBS

REX

A popular and economical compound bow for Youth and small-framed shooters. Tough and solid, the Rex is extremely adjustable, allowing the shooter to dial in the precise draw length and draw weight necessary to feel comfortable in their draw cycle. A really good pick for beginners and frugal archers that want a good basic bow at a reasonable price.

21

Bow

Rex



CO-029B | BLACK



CO-029F | FOLIUM CAMO



CO-029M | SKULL CAMO

SPECIFICATIONS

SPEED	DRAW WEIGHT	DRAW LENGTH	AXLE TO AXLE	BRACE HEIGHT	LET-OFF	MASS WEIGHT (BOW ONLY)
230 FPS	15-55 LBS	20"-29"	28"	7.25"	65%	3.2 LBS

PACKAGE INCLUDES

CO-029B BLACK	Screw Arrow Rest / 3-Pin Plastic Optical Sight / 2 #2018 30" Aluminum Arrows
CO-029M SKULL CAMO	Deluxe Biscuit Rest / 3-Pin Plastic Optical Sight / 3-Arrow Compact Quiver / 2 #2018 30" Aluminum Arrows / Peep Sight
CO-029F FOLIUM CAMO	Deluxe Biscuit Rest / 3-Pin Plastic Optical Sight / 3-Arrow Compact Quiver / 2 30" Carbon Arrows / Peep Sight

PROTEX



CO-030B-4026 | BLACK / 40 LBS
CO-030B-5529 | BLACK / 55 LBS
CO-030LB-4026 | BLACK / Left Hand / 40 LBS
CO-030LB-5529 | BLACK / Left Hand / 55 LBS

SPECIFICATIONS

SPEED	DRAW WEIGHT	DRAW LENGTH
230 FPS	40-55 LBS	26"-29"
AXLE TO AXLE	BRACE HEIGHT	LET-OFF
40.5"	8.5"	65%

PACKAGE INCLUDES

Screw Arrow Rest / Basic Sight

TAKE DOWN



RE-019 | BLUE
RE-019L | BLUE / Left Hand

SPECIFICATIONS

DRAW WEIGHT	DRAW LENGTH
30 LBS	23"-32"
BRACE HEIGHT	BOW LENGTH
7.25"	62"

PACKAGE INCLUDES

Screw Arrow Rest / Basic Sight

ROBINHOOD



RE-018AC | AUTUMN CAMO
RE-018W | WOOD CAMO
RE-018B | BLACK

SPECIFICATIONS

DRAW WEIGHT	DRAW LENGTH
30-35 LBS	23"-29"
BRACE HEIGHT	BOW LENGTH
6"	59.25"

PACKAGE INCLUDES

Mini Stick-on Arrow Rest / Simple Quiver /
Target Face / 2 30" Fiberglass Arrows /
Armguard / Finger Tab



YOUTH BOW

24

Youthbow



CRUSADER

RE-003B | BLACK

SPECIFICATIONS

<i>DRAW WEIGHT</i>	<i>DRAW LENGTH</i>
15 LBS	22"-28"
<i>BRACE HEIGHT</i>	<i>BOW LENGTH</i>
6"	51"

RE-004B | BLACK

SPECIFICATIONS

<i>DRAW WEIGHT</i>	<i>DRAW LENGTH</i>
12 LBS	18"-24"
<i>BRACE HEIGHT</i>	<i>BOW LENGTH</i>
5.5"	44"

RE-005B | BLACK

SPECIFICATIONS

<i>DRAW WEIGHT</i>	<i>DRAW LENGTH</i>
10 LBS	16"-22"
<i>BRACE HEIGHT</i>	<i>BOW LENGTH</i>
5"	36.5"

PACKAGE INCLUDES

- RE-003B Simple Quiver / 3 30" Wooden Arrows / Target Face
- RE-004B Simple Quiver / 3 27" Wooden Arrows / Target Face
- RE-005B Simple Quiver / 3 24" Wooden Arrows / Target Face



CHAMELEON

RE-012B | BLACK

SPECIFICATIONS

<i>DRAW WEIGHT</i>	<i>DRAW LENGTH</i>
10-15 LBS	20"-24"
<i>BRACE HEIGHT</i>	<i>BOW LENGTH</i>
6"	48.5"

PACKAGE INCLUDES

Stick-on Rest / 1-Pin Brass Sight / Simple Quiver / 3 Finger Rollers / Armguard / 2 26" Fiberglass Arrows / Target Face



CO-017B | BLACK

<i>DRAW WEIGHT</i>	<i>DRAW LENGTH</i>	<i>AXLE TO AXLE</i>
10-15 LBS	22"	33"
<i>BRACE HEIGHT</i>	<i>LET-OFF</i>	
7.25"	65%	



25

Youthbow



Chameleon



BUSTER



- CO-034B | BLACK
- CO-034E | EMERALD
- CO-034O | ORANGE
- CO-034U | BULE
- CO-034P | PINK
- CO-034G1 | G1 CAMO



SPECIFICATIONS

DRAW WEIGHT	DRAW LENGTH	AXLE TO AXLE	BRACE HEIGHT	LET-OFF
15-29 LBS	17"-26"	25"	7"	75%

PACKAGE INCLUDES

Horn Rubber Rest / 1-Pin Brass Sight / 4pcs Arrow Quiver / Finger Rollers / Armguard / 2 26" Fiberglass Arrows

KORRIGAN



RE-011B | BLACK

SPECIFICATIONS

DRAW WEIGHT	DRAW LENGTH
15-20 LBS	21"-28"
BRACE HEIGHT	BOW LENGTH
6.25"	48.5"

PACKAGE INCLUDES

RE-011B BLACK Horn Rubber Rest / 1-Pin Brass Sight / 4pcs Arrow Quiver / 3 Finger Tab / Armguard / 2 26" Fiberglass Arrows
CO-013B BLACK Horn Rubber Rest / 1-Pin Brass Sight / 4pcs Arrow Quiver / 3 Finger Tab / Armguard / 2 24" Fiberglass Arrows

KIRUPIRA



CO-013B | BLACK

DRAW WEIGHT	DRAW LENGTH	AXLE TO AXLE
15-20 LBS	22"-24"	34.5"
BRACE HEIGHT	LET-OFF	
6"	65%	

BEETLE



FIRESTAR



RE-013UW3 | SHINY BLUE

CO-014UCB3 | SHINY BLUE

SPECIFICATIONS

DRAW WEIGHT 15-20 LBS	DRAW LENGTH 22"-26"	DRAW WEIGHT 30 LBS	DRAW LENGTH 24"-26"	AXLE TO AXLE 30.75"
BRACE HEIGHT 6"	BOW LENGTH 48.5"	BRACE HEIGHT 8"	LET-OFF 65%	

PACKAGE INCLUDES

RE-013UW3	Plastic Screw Rest / 1 Pin Brass Sight / Simple Quiver / Armguard / 3#27" Wooden Arrows
CO-014UCB3	Plastic Screw Rest / 1 Pin Brass Sight / Simple Quiver / Armguard / 3#27" Wooden Arrows



TACTICAL ACCESSORIES



AR GRIP A



AR STOCK B



BACK ACCELERATOR C



STRING STOPPER E



FOREGRIP D



TACTICAL

- T1 B30048**
Ar Grip
Forceful Textured A2-style Pistol Grip
- T2 B30049**
Ar Grip
Black And Gray
- T3 B30057**
Stock / Spec Adjustable
Black For Torpedo
- T4 B30056**
Stock / Ar-15 Adjustable
Black For Torpedo

- T5 B30052**
Traditional Stock
Black For Accelerator Series
- T6 B30051**
Compact Stock
Black For Accelerator Series
- T7 B30050**
Buttstock
Black For Accelerator Series
- T8 B30038BK**
String Stopper
For Accelerator 410 And Titan
- T9 B30038AK**
String Stopper
For Accelerator 390,370, Blade, Torpedo And Guillotine-m

- T10 B30031**
Five Position Foldable Grip
- T11 B30047**
Simple Foregrip
- T12 B30046**
Triangle Foregrip
Black
- T13 B30045**
Palm Swell Foregrip
Black

ACCESSORIES



CROSSBOW

- C1** B10021
Cocking Rope
- C2** B10016P
String Wax
- C3** B10003B
6-Bolt Quiver
- C4** B20007
Padded Shoulder Sling

BOW

- B1** B10002H(R) B10002HL(L)
Screw Arrow Rest
- B2** B10002O
Drop Arrow Rest
- B3** B10002A(R) B10002C(L)
Stick-on Arrow Rest
- B4** B10002K
Launcher Arrow Rest
- B5** B10010A
Release Aid (Adjustable)
- B6** B10003DS
Faux Leather Shoulder Quiver

- B7** B10003C
3-arrow Compact Quiver
- B8** B10021M
Spider Silencer
- B9** B10014
3-pin Plastic Optical Sight
- B10** B30023B
Peep Sight
- B11** B30024C
Bow Sling

- B12** B30054
TARGET
60"60"6CM FOR USE WITHBOWS
UP TO 20-LBS DRAW WEIGHT
- B13** B10017C
Basic Wood Stand For 60x60cm Targets
- B14** B10017E4
Foam Target 60x60x10cm
- B15** B10015
Target Pin
- B16** B30013B
5-pin Aluminum Optical Sight

BOW BAG



B10031



B10032





B10030

CROSSBOW CASE-BLACK FOR
AXLE TO AXLE UNDER 21"CROSSBOW CASE-BLACK FOR
AXLE TO AXLE UNDER 30"

BOW CASE-BLACK

EK APPAREL

EK SHOOTER JERSEY
A0001WEK CLASSIC POLO
A0001B



32

Arrow



WOODEN ARROW



TARGET WOODEN ARROW



ALUMINUM ARROW



FIBERGLASS ARROW



ALUMINUM BOLT



CARBON BOLT



PLASTIC BOLT



ALUMINUM BOLT



- A | 3pcs Clamshell Pack
- B | 5pcs Bag Pack
- C | 6pcs Box Pack
- D | 10pcs Clamshell Pack
- E | 72pcs Box Pack

BOLT

PISTOL CROSSBOW

	NO.	SIZE	PACKAGING
1616	D-015A10	6.5"	D
PLASTIC	D-014A4	6.5"	D

BOLT

ALUMINUM BOLT

	NO.	SIZE	PACKAGING
2018 RED	D-011M-B2	14"	SINGLE / B
2018 RED	D-008M-B5	16"	SINGLE / B
2219 RED	D-018M2	16"	SINGLE / B
2219 RED	D-024MA-B2	20"	SINGLE / B

CARBON BOLT

	NO.	SIZE	PACKAGING
	D-067B	20"	C
	D-069B	22"	C

ARROW

WOODEN ARROW
NATURAL FEATHER ARROW

	NO.	SIZE	PACKAGING
	D-049NF-C1	26"	A
	D-053NF-C1	28"	A
	D-081NF-C1 (Steel Point)	30"	A
	D-071NF-C1 (Steel Point)	32"	A
	D-002NF-C (Steel Point)	29"	A

WOODEN ARROW

	NO.	SIZE	PACKAGING
	D-081A-B1 (Steel Point)	30"	SINGLE / B
	D-002A-B3 (Steel Point)	29"	SINGLE / B
	D-053A-C3	28"	SINGLE / B
	D-052A-C3	24"	SINGLE / B
	D-027A-B1	30"	SINGLE / B

ALUMINUM ARROW

	NO.	SIZE	PACKAGING
1716 BLACK	D-029BA-1	30"	SINGLE / B
1816 BLACK	D-028BA-1	30"	SINGLE / B
1916 BLUE	D-001-B3	29"	SINGLE / B
2018 BLUE	D-016-B	30"	SINGLE / B
2117 BROWN	D-033A-C1	30"	SINGLE / B
2118 GREEN	D-021A-B1	30"	SINGLE / B
2317 GREEN	D-020-B3	30"	SINGLE / B

FIBERGLASS ARROW

	NO.	SIZE	PACKAGING
	D-047-B3	26"	SINGLE / B
	D-055-B3	28"	SINGLE / B
	D-065-B3	30"	SINGLE / B

CARBON ARROW

	NO.	SIZE	PACKAGING
	D-030B-C4	30"	C

ARROWS



Everything is energy in motion.

"The hand that stretches the bow must open like a child's hand opens. What sometimes hinders the precision of the shot is the archer's over-active will. He thinks: "What I fail to do will not be done", and that's not quite how things work. Man should always act, but he must also let other forces of the universe act in their own due time."

- Eugen Herrigel "Zen in der Kunst des Bogenschiessens"

